



Film 1 - COMPONENT SIDE

DAMIC - Die Test Flex - Rev.A  
SPC-3040                      Mircea Bogdan  
10/13/2023                      University of Chicago




Film 2 - Signal 2

DAMIC - Die Test Flex - Rev.A  
SPC-3040                      Mircea Bogdan  
10/13/2023                      University of Chicago



Film 3 - Power

DAMIC - Die Test Flex - Rev.A  
SPC-3040                      Mircea Bogdan  
10/13/2023                      University of Chicago




Film 4 - Signal 3

DAMIC - Die Test Flex - Rev.A  
SPC-3040                      Mircea Bogdan  
10/13/2023                      University of Chicago



Film 5 - Bottom


DAMIC - Die Test Flex - Rev.A  
SPC-3040                      Mircea Bogdan  
10/13/2023                      University of Chicago



COMPONENT SIDE SILKSCREEN


DAMIC - Die Test Flex - Rev.A  
SPC-3040  
10/13/2023

Mircea Bogdan  
University of Chicago



SOLDER SIDE SILKSCREEN


DAMIC - Die Test Flex - Rev.A  
SPC-3040 Mircea Bogdan  
10/13/2023 University of Chicago



COMPONENT SIDE SOLDERMASK


DAMIC - Die Test Flex - Rev.A  
SPC-3040                      Mircea Bogdan  
10/13/2023                      University of Chicago






SOLDER SIDE SOLDERMASK



DAMIC - Die Test Flex - Rev.A  
SPC-3040 Mircea Bogdan  
10/13/2023 University of Chicago



DAMIC - Die Test Flex - Rev.A  
SPC-3040                      Mircea Bogdan  
10/13/2023                      University of Chicago





DAMIC - Die Test Flex - Rev.A  
SPC-3040                      Mircea Bogdan  
10/13/2023                      University of Chicago



•

•



Through Holes						
Symbol	Diameter	Tolerance	Plated	Type	HoleName	Quantity
A	0.0080		Yes	Drill	Rnd 0.202	564
B	0.0248		Yes	Drill	Rnd 0.63	2
C	0.0709		Yes	Drill	Rnd 1.8	4
D	0.0750		Yes	Drill	Rnd 1.9050	2
E	0.0571		No	Drill	Rnd 1.45 Non-Plated	2