


## Right Angle Female Connectors Type B For Daughter Cards


125 signal contacts  
50 mm without multifunction block




The ERmet™ female connector type B provides a maximum of 125 contacts in 5 rows by 25 positions. For this type, without multifunction block for coding and pre-alignment, we recommend use only in combinations with types A, C, L, M or N. For applications requiring the use of shielding, the female connector is supplied with a shielding plate. Lower shielding plates must be ordered separately. For additional assembly requirements, the shielding plates are supplied loose.

The female connector type B, is also available in a smaller version for planned CompactPCI applications. At the locations J2 and J5 with 110 contacts at 22 positions and on location J3 with 95 contacts at 19 positions.

### Dimensional drawings and board hole pattern









Board hole pattern  
(Component mounting side)









## Right Angle Female Connectors Type B For Daughter Cards

### Ordering Information

Configuration	Used For	No. of Pins	Part Number
Type B Without Shield, Without Peg 		125	<b>044767</b>
Type B With Upper Shield, Without Peg 		125	<b>064179</b>
Type B Without Shield, Without Peg 	<b>CompactPCI™</b> J2/J5	110	<b>914797</b>
Type B With Upper Shield 	<b>CompactPCI™</b> J2/J5	110	<b>064785</b>
Type B Without Shield, Without Peg 	<b>CompactPCI™</b> J3	95	<b>914794</b>
Type B With Upper Shield 	<b>CompactPCI™</b> J3	95	<b>064784</b>

## Right Angle Female Connectors Type B For Daughter Cards

### Ordering Information

Configuration	Used For	No. of Pins	Part Number
Upper Shield For Type B 			044451
Lower Shield For Type B 			044452
Upper Shield For Type B 	<b>CompactPCI™</b> J2/J5		914795
Lower Shield For Type B 	<b>CompactPCI™</b> J2/J5		064783
Upper Shield For Type B 	<b>CompactPCI™</b> J3		064781
Lower Shield For Type B 	<b>CompactPCI™</b> J3		064782